

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/846,522	04/30/2001	Tomoyuki Nakano	112857-221	5535
	29175 7590 06/20/2007 BELL, BOYD & LLOYD, LLP		EXAMINER	
P. O. BOX 1135 CHICAGO, IL 60690			COLIN, CARL G	
			ART UNIT	PAPER NUMBER
•			2136	
		•	MAIL DATE	DELIVERY MODE
			06/20/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		4'
	Application No.	Applicant(s)
	09/846,522	NAKANO ET AL.
Office Action Summary	Examiner	Art Unit
	Carl Colin	2136
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>06 Agray</u> This action is <b>FINAL</b> . 2b) ☑ This      Since this application is in condition for alloward closed in accordance with the practice under Expression is the practice of the pract	action is non-final. nce except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 1-23 is/are pending in the application.  4a) Of the above claim(s) is/are withdray  5) Claim(s) is/are allowed.  6) Claim(s) 1-23 is/are rejected.  7) Claim(s) is/are objected to.  8) Claim(s) are subject to restriction and/or  Application Papers  9) The specification is objected to by the Examinet 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the or are subjected to be considered.	vn from consideration.  r election requirement.  r.  epted or b) □ objected to by the B drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correcting 11) The oath or declaration is objected to by the Expression 11.		• •
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	ite

#### **DETAILED ACTION**

#### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 3/13/2007 has been entered.

## Response to Arguments

- 2. In response to communications filed on 3/13/2007, applicant amends claims 1, 5, 13, 14, 21-23; the following claims 1-23 are presented for examination.
- Applicant's arguments, pages 11-13, filed on 3/13/2007, with respect to the rejection of claims 1-23 have been fully considered, but they are not persuasive. Applicant has deleted "an additional authentication request is sent from the information processing apparatus" to overcome the 112<sup>th</sup> rejection first paragraph. However, Applicant's response still fails to show that the additional request (second request) is sent only if the decrypted result corresponds to the first data item. Applicant recites,

"the specification page 9, lines 3-9 state in part

"the certificate 58 includes a digital signature of a certification authority which generates the private key and the public key." and page 10, lines 8-12 states "[when the WWW server 3 receives the digital signature, the WWW server 3 decrypts the digital signature by using the public key written into the user certificate

received in advance. When the decryption is successfully performed, it is determined that the legitimate user terminal 4 has requested the electronic priced information" (emphasis added). In this example, the digital signature was created by the authentication apparatus using the private key. See the specification on page 9 lines 20-27. A person having ordinary skill in the art would understand that the decrypted result would have to correspond to the first data item, the certificate 58 which includes a digital signature to compare against."

Examiner respectfully disagrees disagrees with Applicant's interpretation of "when the decryption result is successfully performed" to equate the decrypted result corresponds to the first data item. There is no description of comparing the decrypted digital signature with digital signature previously received. On the other hand, this passage shows that server 3 (information processing apparatus) by performing the decryption of the digital signature using the public key corresponding to the user, the server 3 determines the legitimacy of the user because the authentication apparatus (server 6) encrypts the digital signature using the private key corresponding to the user. There is no disclosure of comparing the decrypted digital signature with a previous digital signature (first data item). Determining the legitimacy of the user is determining that the party performing the encryption is who that party intends to be because the public key of the user corresponds to the private key pair of the user. Applicant even states on page 12 last paragraph of the remarks that as the private key corresponding to the user ID is used for decryption, authentication of the user is performed. Therefore, the 112th rejection has still not overcome with respect to the amendment. The claim further recites "only when the user has been authenticated in response to the additional authentication request the information apparatus the authentication apparatus performs processing using the private key corresponding to the user for making the information processing apparatus authenticate the user", although applicant deletes part of the claim, the claim has still not overcome the 112<sup>th</sup> rejection because the user has not been authenticated twice with a private key in response to the additional authentication

request as previously amended. See applicant's specification (page 12, lines 16-22) explaining the advantages of first authentication request not in response to the additional authentication request. Applicant states,

"The specification goes on to state, on page 11 lines 19-25, "[tlhe CPU 46 of the security server 6 receives the result of authentication sent from the encryption module 23 . . . [when the CPU 46 confirms (in step SP45) from the result of authentication that the IC card 8 has been successfully authenticated, it obtains the private key corresponding to the user ID ... and decrypts the encrypted electronic priced information by using the private key." Therefore, an additional authentication step is performed."

The citation above shows authentication of the card not the user.

In view of the above, applicant has not overcome the 112<sup>th</sup> rejection first paragraph. Applicant states that the claims have been amended to recite "for decryption and storage" and Audebert's IC card only provides security keys and not storing transaction data. Examiner respectfully disagrees. The IC card of Audebert also contains memory. It is well known that memory is used to store data and this limitation is an intended use and would still be an obvious modification over Audebert. Upon further consideration, a new ground of rejection is set forth below in view of Audebert.

## Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Application/Control Number: 09/846,522

Art Unit: 2136

Page 5

3.1 Claims 1, 5, 13, 14, 21, 22, and 23 and the intervening claims are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claims contains subject matter, which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Applicant's disclosure fails to recite "comparing the decrypted result with the first data item" and "wherein the additional authentication request is sent only if the decrypted result corresponds to the first data item" and wherein, only when the user has been authenticated in response to the additional authentication request, the authentication apparatus performs processing using the private key corresponding to the user to authenticate the user". There is no disclosure of comparing the decrypted digital signature with a previous digital signature (first data item). Determining the legitimacy of the user is determining that the party performing the encryption is who that party intends to be because the public key of the user corresponds to the private key pair of the user. Applicant even states on page 12 last paragraph of the remarks that as the private key corresponding to the user ID is used for decryption, authentication of the user is performed. There is no disclosure of the user being authenticated twice with a private key in response to the additional authentication request. Therefore, the specification does not describe the steps above as claimed. As mentioned above, there is no description of an additional authentication request from the information processing apparatus (server 3).

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent 6,694,436 to Audebert in view of Foreign Patent Application GB 2261538 A to Carden (publication date 19.05.1993).

As per claim 1, **Audebert** substantially discloses a user authentication system, comprising: an integrated circuit card that meets the recitation of a data holding medium for holding a common key unique to a user, used in a common-key encryption method, for example (see column 21, lines 17-21); for authentication between the data holding medium held by the user and a terminal module that meets the recitation of authentication apparatus (see column 26, lines 38-42); said authentication apparatus for holding the common key used in the common key encryption method and a private key corresponding to the user used in a public-key encryption method, for example (see column 21, line 45 through column 22, line 20); for authentication between the data holding medium and a server or PC to perform a service to the user (see column

11, lines 10-29; column 12, lines 56-69 and column 24, lines 39-61); an information processing apparatus connected to the authentication apparatus in an always-communicable manner and provided with a function for performing authentication by the public-key encryption method, for example (see column 11, lines 10-29; column 12, lines 42-69 and column 24, lines 39-61); wherein said authentication apparatus is configured to receive a first data item, wherein the first data item is associated with a first authentication request from said information processing apparatus and wherein said authentication apparatus is configured to authenticate the data holding medium by using the common key in response to the first authentication request (see column 21, lines 28-38); wherein said authentication apparatus is further configured to encrypt only if the data holding medium is authenticated in response to the first authentication request, the first data item using the private key associated with the user and to send the encrypted first data item to the information processing apparatus (see column 21, line 50 through column 22, line 20); wherein said information processing apparatus is configured to decrypt the encrypted first data item using a public key associated with the user and to compare the decrypted result with the first data item (see column 22, lines 7-20); Audebert discloses that the authentication of the data holding medium can be performed using PIN, challenge/response or asymmetrical algorithm (see column 26, lines 25-45); wherein the authentication apparatus performs authentication, authenticating the data holding medium by using the common key used in the common key encryption method for the user held by the data holding medium, in response to an additional authentication request sent from the information processing apparatus, wherein the additional authentication request is sent only if the decrypted result corresponds to the first data item (see column 21, line 59 through column 22, line 20); and, only when the user has been

authenticated, in response to the additional authentication request the authentication apparatus performs processing using the private key corresponding to the user for making the information processing apparatus authenticate the user for example (see column 21, line 45 through column 22, line 20). Audebert discloses the authentication apparatus has means for authenticating the source and integrity of data received from the sender and further discloses using public-key encryption for secure communication (see column 23, line 55 through column 24, line 22 and column 24, lines 23-64) that meets the recitation of wherein information encrypted by the publickey encryption method is sent from the information processing apparatus, forwarded to the authentication apparatus, decrypted using the private key corresponding to the user, so as to obtain decrypted information (see also column 21, lines 10-27 and lines 40-45 and column 25, lines 37-45); and discloses common key encryption method between the holding medium and the authentication apparatus that meets the recitation of wherein the decrypted information is encrypted means using the common key and wherein the obtained common key encrypted information is sent back to the data holding medium (see column 24, lines 40-45). Audebert discloses a secure downloading in another embodiment wherein authentication apparatus performing processing using the private key corresponding to the user, this process of loading is performed upon assuring the integrity of the source and the user that requires an additional authentication request (see column 23, line 25 through column 24, line 38). Audebert clearly discloses the scope of the claimed invention as claimed and further suggests encrypting all data exchange between the modules (see column 24, lines 55-61) and further states encryption and signature mechanisms may be performed by any cryptographic techniques as known in the art (see column 12, lines 26-35). Although the steps are not explicitly disclosed with the exact

orders as claimed, it would only require routine skill in the art to write the steps of the claimed invention using the encryption and authentication methods exchanged between the authentication apparatus, the holding medium, and information processing apparatus and the suggestions disclosed by Audebert. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have information processing apparatus encrypting data and forwarding it for verification to the authentication apparatus since **Audebert** suggests that the holding medium does not have the cryptographic capabilities for signature, that the authentication apparatus contains (column 21, lines 10-26) and if data is verified sending it to the holding medium as suggested by Audebert (columns 23-24). One of ordinary skill in the art would have been motivated to do so as suggested by Audebert in order to perform a secure downloading of information into the medium that includes mutual authentication of all the modules involved (see column 23, lines 1-27). Although Audebert is silent about the card being used for decryption and storage of transaction information, Audebert suggests that the card has memory and the card is not limited to a given form of tool enabling the use of cryptographic functions (see column 27, lines 25-31). It is notoriously well known that smartcard has capability for transaction information storage. Carden in an analogous art teaches a transaction authentication system comprises an IC card and a terminal wherein encrypted transaction data is transferred to the card and the card has encryption/decryption capability (using common key encryption or RSA public key encryption) for decrypting transaction data and a memory for storing transaction data in order to provide key verification and an audit trail of the transaction (see page 7, second paragraph, abstract, and pages 1-6 for detailed disclosure). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to

provide capability for transaction information storage in Audebert so as to provide authentication of transaction data while keeping an audit trail of the transaction data in the card as suggested by **Carden**.

As per claims 2 and 6, **Audebert** discloses a user who carries an integrated circuit card that meets the recitation of a data holding medium that is portable (see column 21, lines 17-21).

As per claims 3, 9, and 19, **Audebert** discloses the limitation of wherein the information processing apparatus is a mobile communication apparatus, for example (see column 27, lines 5-18).

As per claims 4, 8, and 18, **Audebert** discloses wherein the data holding medium and the information processing apparatus are integrated as one unit (see column 11, lines 30-33).

As per claim 7, **Audebert** discloses wherein the user authentication request is sent from an information processing apparatus (see column 12, lines 47-55 and column 13, lines 45-46).

As per claim 5, **Audebert** substantially discloses a user authentication method for a user who carries an integrated circuit card that meets the recitation of a data holding medium for holding a common key unique to a user, used in a common-key encryption method, for example (see column 21, lines 17-21); for authentication between the data holding medium held by the user and a terminal module that meets the recitation of authentication apparatus (see column 26,

lines 38-42) and a private key used in a public-key encryption method to the authentication between the data holding medium and a server or PC to perform a service to the user (see column 11, lines 10-29; column 12, lines 56-69 and column 24, lines 39-61); a method comprising: authenticating a data holding medium of a user by the common key encryption method using the common key held by the data holding apparatus in response to an authentication request from the server (see column 13, lines 43-60 and column 26, lines 25-45); receiving a first data item wherein the first data item is associated with the authentication request from the server (see column 26, lines 25-45); and performing only when the data holding apparatus of the user has been authenticated processing for authenticating the data holding apparatus of the user by a public-key encryption method (see column 26, lines 25-45 and column 21, line 45 through column 22, line 20); receiving a second data item, wherein the second data item is encrypted by the server using the public-key of the user: decrypting the second data item using the private-key of the user; encrypting the decrypted second data item using the common key: and sending the result of encrypting the decrypted second data item to the data holding apparatus (see column 21, line 45 through column 22, line 20); and see also another embodiment in columns 23-24). Although the steps are not explicitly disclosed with the exact orders as claimed, it would only require routine skill in the art to write the steps of the claimed invention using the encryption and authentication methods exchanged between the authentication apparatus, the holding medium, and information processing apparatus and the suggestions disclosed by Audebert. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have information processing apparatus encrypting data and forwarding it for verification to the authentication apparatus since Audebert suggests that the holding medium does not have the

cryptographic capabilities for signature, that the authentication apparatus contains (column 21, lines 10-26) and if data is verified sending it to the holding medium as suggested by Audebert (columns 23-24). One of ordinary skill in the art would have been motivated to do so as suggested by Audebert in order to perform a secure downloading of information into the medium that includes mutual authentication of all the modules involved (see column 23, lines 1-27). Although Audebert is silent about the card being used for decryption and storage of transaction information, Audebert suggests that the card has memory and the card is not limited to a given form of tool enabling the use of cryptographic functions (see column 27, lines 25-31). It is notoriously well known that smartcard has capability for transaction information storage. Carden in an analogous art teaches a transaction authentication system comprises an IC card and a terminal wherein encrypted transaction data is transferred to the card and the card has encryption/decryption capability (using common key encryption or RSA public key encryption) for decrypting transaction data and a memory for storing transaction data in order to provide key verification and an audit trail of the transaction (see page 7, second paragraph, abstract, and pages 1-6 for detailed disclosure). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide capability for transaction information storage in Audebert so as to provide authentication of transaction data while keeping an audit trail of the transaction data in the card as suggested by Carden.

As per claims 10-11 and 16, **Audebert** discloses wherein the data holding apparatus is an IC card (see column 21, lines 17-21).

As per claim 12, **Audebert** discloses wherein the information processing apparatus has a communication function, a browser function for accessing information on the Internet and a reader and writer function for reading and writing the IC card (see column 12, line 56 through column 13, line 11).

As per claim 13, Audebert substantially discloses a user authentication method for a user who carries an integrated circuit card that meets the recitation of a data holding medium for holding a common key unique to a user, used in a common-key encryption method, for example (see column 21, lines 17-21); for authentication between the data holding medium held by the user and a terminal module that meets the recitation of authentication apparatus (see column 26, lines 38-42) and a private key used in a public-key encryption method to the authentication between the data holding medium and a server or PC to perform a service to the user (see column 11, lines 10-29; column 12, lines 56-69 and column 24, lines 39-61); receiving a first data item wherein the first data item is associated with the authentication request from the server (see column 26, lines 25-45); and performing only when the data holding apparatus of the user has been authenticated in response to the first authentication request processing for authenticating the data holding apparatus of the user by a public-key encryption methods wherein the processing includes encrypting the first data item using a private-key of the user and sending the encrypted first data item to the server, wherein the server decrypts the encrypted first data item using a public-key of the user and compares the decryption result with the first data item: processing for authenticating the data holding apparatus of the user by a public-key encryption method (see column 13, lines 43-60 and column 21, line 45 through column 22, line 20);

Audebert discloses that the authentication of the data holding medium can be performed using asymmetrical algorithm (see column 26, lines 25-45); authenticating in response to an additional authentication request sent from the information processing apparatus, the data holding apparatus by using the common key used in the common key encryption method for the user (see column 21, line 59 through column 22, line 20); and, only when the user has been authenticated, in response to the additional authentication request the authentication apparatus performs processing using the private key corresponding to the user for making the information processing apparatus authenticate the user for example (see column 21, line 45 through column 22, line 20). Audebert discloses the authentication apparatus has means for authenticating the source and integrity of data received from the sender and further discloses using public-key encryption for secure communication (see column 23, lines 55 through column 24, line 22 and column 24, lines 23-64) that meets the recitation of wherein information encrypted by the public-key encryption method is sent from the information processing apparatus, forwarded to the authentication apparatus, decrypted using the private key corresponding to the user, so as to obtain decrypted information (see also column 21, lines 10-27 and lines 40-45 and column 25, lines 37-45); and discloses common key encryption method between the holding medium and the authentication apparatus that meets the recitation of wherein the decrypted information is encrypted means using the common key and wherein the obtained common key encrypted information is sent back to the data holding medium (see column 24, lines 40-45). Audebert discloses a secure downloading in another embodiment wherein authentication apparatus performing processing using the private key corresponding to the user, this process of loading is performed upon assuring the integrity of the source and the user that requires an additional authentication request

(see column 23, line 25 through column 24, line 38). Audebert clearly discloses the scope of the claimed invention as claimed and further suggests encrypting all data exchange between the modules (see column 24, lines 55-61) and further states encryption and signature mechanisms may be performed by any cryptographic techniques as known in the art (see column 12, lines 26-35). Although the steps are not explicitly disclosed with the exact orders as claimed, it would only require routine skill in the art to write the steps of the claimed invention using the encryption and authentication methods exchanged between the authentication apparatus, the holding medium, and information processing apparatus and the suggestions disclosed by Audebert. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have information processing apparatus encrypting data and forwarding it for verification to the authentication apparatus since Audebert suggests that the holding medium does not have the cryptographic capabilities for signature, that the authentication apparatus contains (column 21, lines 10-26) and if data is verified sending it to the holding medium as suggested by Audebert (columns 23-24). One of ordinary skill in the art would have been motivated to do so as suggested by Audebert in order to perform a secure downloading of information into the medium that includes mutual authentication of all the modules involved (see column 23, lines 1-27). Although Audebert is silent about the card being used for decryption and storage of transaction information, Audebert suggests that the card has memory and the card is not limited to a given form of tool enabling the use of cryptographic functions (see column 27, lines 25-31). It is notoriously well known that smartcard has capability for transaction information storage. Carden in an analogous art teaches a transaction authentication system comprises an IC card and a terminal wherein encrypted transaction data is

transferred to the card and the card has encryption/decryption capability (using common key encryption or RSA public key encryption) for decrypting transaction data and a memory for storing transaction data in order to provide key verification and an audit trail of the transaction (see page 7, second paragraph, abstract, and pages 1-6 for detailed disclosure). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide capability for transaction information storage in Audebert so as to provide authentication of transaction data while keeping an audit trail of the transaction data in the card as suggested by Carden.

Claim 14 recites the similar limitations as claim 13 except for using implementing the claimed method of claim 13 in an authentication apparatus. Therefore claim 13 is rejected on the same rationale as the rejection of claim 13 and claim 1 (for also disclosing an authentication apparatus).

As per claim 15, Audebert discloses wherein the authentication apparatus has a a private key used in a public-key encryption method, (see column 21, line 45 through column 22, line 20).

As per claim 17, Audebert discloses wherein the information processing apparatus has a reader and writer function for reading and writing the IC card (see column 12, line 56 through column 13, line 11).

As per claim 20, **Audebert** discloses wherein the information processing apparatus has a communication function, a browser function for accessing information on the Internet (see column 12, line 56 through column 13, line 11).

Claims 21, 22 and 23 disclose similar limitations as the rejected claim 1 and are therefore rejected on the same rationale as the rejection of claim 1.

#### Conclusion

- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The prior art discloses IC card used for decryption and storage of transaction information. See PTO-form 892.
- Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carl Colin whose telephone number is 571-272-3862. The examiner can normally be reached on Monday through Thursday, 8:00-6:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nasser G. Moazzami can be reached on 571-272-4195. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Application/Control Number: 09/846,522

Art Unit: 2136

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

Page 18

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Carl Colin/

Patent Examiner, A.U. 2136

June 8, 2007